Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.01.2017 Version number 5 Revision: 20.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking • Date of compilation: 19.09.2011 · 1.1 Product identifier • Trade name: MB-ActiveCleaner • 1.2 Relevant identified uses of the substance or mixture and uses advised against no data available • Application of the substance / the preparation: Cleaning material / Detergent Toilet cleaner · 1.3 Details of the supplier of the safety data sheet · Manufacturer / Supplier: URIMAT Schweiz AG Tel.: + 41 (0)55 251 52 30 Etzelstrasse 39 Fax: + 41 (0)55 251 52 31 CH-8634 Hombrechtikon • E-mail address of the competent person responsible for the Safety Data Sheet: info@urimat.com · Informing department: Sales / Technique • 1.4 Emergency telephone number: Swiss Toxicological Information Center Freiestrasse 16 CH - 8032 Zürich Emergency Call : + 41 44 251 51 51 (from outside Switzerland) Emergency Call: +145 (24h)www.toxi.ch

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

- The product is not classified as hazardous according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

- •		
· Dangerous components:		
CAS: 67-63-0	Propan-2-ol	1-5%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	
· Ingredients according to Reg	ulation (EC) No 648/2004:	
anionic surfactants		< 5%
perfumes (LINALOOL), MET	HYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE	

(Contd. on page 2)

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

Trade name: MB-ActiveCleaner

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Take off contaminated clothing.
- After inhalation: Supply fresh air; consult doctor in case of symptoms.
- After skin contact:
- Rinse with plenty of water.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents
- Product does not burn take extinguishing measures according to fire conditions.
- · For safety reasons unsuitable extinguishing agents none
- 5.2 Special hazards arising from the substance or mixture Sulphur oxides (SOx)
- Carbon monoxide (CO) and Carbon dioxide (CO₂)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information
- Cool endangered containers with water spray jet.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- If without risk possible, move drums with material away from dangerous area.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Danger of slipping on leaked/spilled product. Do not breathe vapour. Avoid contact with skin and eyes. · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. Do not allow large quantities of product to reach sewage system or water bodies. • 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations. · 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

(Contd. on page 3)

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

Trade name: MB-ActiveCleaner

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid prolonged or repeated skin contact. Avoid contact with eyes. Make sure that all applicable workplace limits are observed.

• Information about protection against explosions and fires: The product forms flammable fumes when heated.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers:

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store container in a well ventilated position. Protect from frost. Store in cool, dry conditions in well sealed containers.
- Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

67-63-0 Pi	ropan-2-ol (1-5%)			
WEL (Gre	WEL (Great Britain) Short-term value: 1250 mg/m ³ , 500 ppm			
	Long-term value: 999 mg/m ³ , 400	ppm		
DNELs				
67-63-0 Pi	ropan-2-ol			
Oral	DNEL long-term exposure - systemic effects	26 mg/kg bw/d (general population)		
Dermal	DNEL long-term exposure - systemic effects	319 mg/kg bw/d (general population)		
		888 mg/kg bw/d (worker)		
Inhalative	DNEL long-term exposure - systemic effects	89 mg/m³ (general population)		
		500 mg/m ³ (worker)		
PNECs	·			
67-63-0 Pi	ropan-2-ol			
PNEC 14	0.9 mg/l (aqua (freshwater)) (Assessment fact	or 1)		
14	0.9 mg/l (aqua (intermittent releases)) (Assess	sment factor 1)		
14	0.9 mg/l (aqua (marine water)) (Assessment f	actor 1)		
55.	52 mg/kg (sediment (freshwater))			
55.	2 mg/kg (sediment (marine water))			
28	mg/kg (soil)			
	51 mg/l (STP (sewage treatment plant)) (Asse	(C, (1))		

Additional information: The lists that were valid during the compliation

· 8.2 Exposure controls

· Personal protective equipment

· General protective and hygienic measures

Avoid close or long term contact with the skin.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

Trade name: MB-ActiveCleaner

	(Contd. of page 3)
Keep away from foodstuffs, beverages	
Wash hands during breaks and at the	end of the work.
Use skin protection cream for prevent	
Do not inhale gases / fumes / aerosols	
Do not eat, drink or smoke while work	ing.
• Breathing equipment: If all workplace limits are observed an	nd good ventilation is ensured, no special precautions necessary.
• Protection of hands:	a good ventuation is ensured, no special preclations necessary.
Protective gloves	
Sensibilisation by the components in the	
	aring of gloves to the required minimum.
Check the permeability prior to each r	
	able and resistant to the product/ the substance/ the preparation. on to the glove material can be given for the product/ the preparation/
the chemical mixture.	on to the glove material can be given for the product/ the preparation/
	sideration of the penetration times, rates of diffusion and the
degradation.	······································
· Material of gloves	
	es not only depend on the material, but also on further marks of quality
	ifacturer. As the product is a preparation of several substances, the
	ot be calculated in advance and has therefore to be checked prior to the
application. • Penetration time of glove material	
Penetration time: ≥ 8 hours	
Protective gloves should be replaced a	it first signs of wear.
	e found out by the manufacturer of the protective gloves and has to be
observed.	
	le-shields (frame goggles) (e.g. EN 166)
- Body protection: Body protection mus - Limitation and supervision of exposu	t be chosen depending on activity and possible exposure.
Do not allow to enter drainage system	
2 ° not anon to enter a anage system	
SECTION 9: Physical and cher	nical properties
• 9.1 Information on basic physical and	l chemical properties
· General Information	
· Appearance:	
Form: Colour:	liquid
· Smell:	red fresh
· Odour threshold:	not determined
· pH-value at 20 °C:	± 5.6
-	± 5.0
· Change in condition Making point/Making ranges	not determined
Melting point/Melting range: Boiling point/Boiling range:	not determined
· Flash point:	> 100 °C
· Inflammability (solid, gaseous)	not applicable
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive.

(Contd. on page 5) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

Trade name: MB-ActiveCleaner

	(Contd. of page
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	not classified as oxidising
Vapor pressure:	Not determined.
Density at 20 °C:	$\pm 0.98 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density (AIR = 1):	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	fully miscible
Partition coefficient (n-octanol/	water): Not determined.
Viscosity:	
dynamic:	not determined
kinematic:	not determined
9.2 Other information	Further informations please refer to technical data sheet.

SECTION 10: Stability and reactivity

· 10.1 Reactivity see 10.3

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: Sunlight
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- · 10.6 Hazardous decomposition products:

Sulphur oxides (SOx)

Carbon monoxide (CO) and Carbon dioxide (CO₂)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) According to present knowledge no CMR-effects known.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)

- GB -

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

(Contd. of page 5)

Trade name: MB-ActiveCleaner

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Water hazard class 1 (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- European waste catalogue:
- Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- · Uncleaned packagings:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport informat	ion
· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

• Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.

(Contd. on page 7)

GB

Printing date 20.01.2017

Version number 5

Revision: 20.01.2017

Trade name: MB-ActiveCleaner

(Contd. of page 6)

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for changes:

*The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by *.*

· Relevant phrases

The(se) H-statement(s) are those of the ingredient(s) and do(es) NOT represent the classification of the preparation/mixture. H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

• Department issuing SDS:

C.S.B. GmbH Phone: +49 - 2151 - 652086-0 Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9 47809 Krefeld / Germany

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 *Eye Irrit.* 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 • Sources: These data are based on information submitted by pre-suppliers.

• * Data compared to the previous version altered.