

# BIOCLEAN FUSION™ Non-sterile Polychloroprene Gloves BFAP

## About

For medical, cleanroom and PPE use, offering the outstanding chemical protection of nitrile and the exceptional tactility and comfort of latex, the BioClean Fusion™ Polychloroprene Gloves feature a finger-textured surface for enhanced grip and beaded cuffs for strength and stability on the arm.

## Specifications

**COMPATIBILITY:**  
ISO Class 4

**LENGTH:**  
290mm (11.4")

**MATERIAL:**  
Polychloroprene

**PROTEIN LEVEL:**  
Polychloroprene contains no natural latex proteins


**SURFACE:**  
Finger-textured

**SHAPE:**  
Ambidextrous

**COLOUR:**  
Green

## Features

- Resistant to a wide range of chemicals
- Hypoallergenic
- Powder-free & latex-free
- Excellent antistatic properties
- Non-particulating EasyTear™ packaging



EXCELLENT CHEMICAL PROTECTION

POWDER-FREE

LATEX-FREE

BEADED CUFF



Ms.G.Love™ represents BioClean's range of cleanroom gloves

## Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Tested against permeation standard ASTM D6978-05 for cytotoxic drugs
- Physical properties comply with European Medical Glove Standard EN455-2:2009

## Shelf Life & Storage

Five (5) years from date of manufacture.  
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

## Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD	PALM WIDTHS (mm) ± 5mm						
Freedom From Holes	1.5 AQL	EN 374-2:2003	SIZE	XSmall	Small	Medium	Large	XLarge	XXLarge
Minimum Length (mm/inches)	290/11.4	EN 420:2003	mm	76	86	95	106	115	120
Single Wall Thickness Minimum (mm)	Cuff: 0.07 Palm: 0.10 Finger Tip: 0.12	EN 455-2:2009	TEST METHOD				EN455-2:2009		
Force At Break During Shelf Life	≥9	EN 455-2:2009							

## Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
≥ 0.5µm(counts/cm <sup>2</sup> )				850				IEST-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.3
(µg/cm <sup>2</sup> )	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm <sup>2</sup> )	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								

## TO ORDER

### Re-order code

BFAP-XS  
BFAP-S  
BFAP-M  
BFAP-L  
BFAP-XL  
BFAP-XXL

### Size

XSmall  
Small  
Medium  
Large  
XLarge  
XXLarge

### Packing

100 pieces per sealed inner PE bag;  
one inner PE bag per sealed outer PE  
bag; 10 outer bags per lined carton  
(1000 pieces)

## CONTACT

### Europe (Headquarters)

Nitritex Ltd.  
Minton Enterprise Park,  
Oaks Drive,  
Newmarket, Suffolk,  
CB8 7YY,  
United Kingdom  
T: +44 (0) 1638 663338  
F: +44 (0) 1638 668890  
E: [europa@bioclean.com](mailto:europa@bioclean.com)

### Other Regions

Asia: [malaysia@bioclean.com](mailto:malaysia@bioclean.com)  
Americas: [americas@bioclean.com](mailto:americas@bioclean.com)



BioClean™ is a brand of Nitritex Ltd.

For more information, please visit [www.bioclean.com](http://www.bioclean.com)

BFAP/1602/PDS16